

Question 1

Answer saved

Marked out of 2.00

 Flag question

Name the autoimmune neuromuscular disease characterized by weakness of the skeletal muscle

- a. Myotonic Dystrophy
- b. None of the above
- c. Myasthenia Gravis
- d. Duchenne Muscular Dystrophy

CLEAR MY CHOICE

Question 2

Answer saved

Marked out of 2.00

🚩 Flag question

Bartholin Cysts

- a. May cause atrophy of the vulva
- b. Is a premalignant stage of cervical cancer
- c. Are common in premenopausal women
- d. Produces pain and local discomfort
- e. Are associated with Human Papilloma viruses

Question 3

Answer saved

Marked out of 2.00

 Flag question

Autoimmune hepatitis

- a. May predispose to Hepatorenal syndrome
- b. Is associated with with liver cirrhosis
- c. Is associated with hepatic viral infections
- d. Is common in females
- e. The main effector cell damage are CD4+

Time left 0:03:14

Question 4

Answer saved

Marked out of 2.00

 Flag question

Viral Hepatitis D

- a. Is caused by dsDNA Hepadnavirus
- b. Is common in Sub-Saharan Africa
- c. Produces a carrier state
- d. Is associated with liver cancer
- e. Is endemic in Western Europe

Pneumonia

- a. Resolution of exudates usually does not restore normal architecture
- b. Abscess formation is a common complication of bronchopneumonia
- c. Bacterial bronchopneumonia is most commonly caused by *Klebsiella pneumoniae*
- d. Commonly occurs when normal lung systemic defense mechanisms are impaired
- e. Classical sequence of stages in lobar pneumonia (complicated) would be red hepatisation, congestion, grey hepatisation, resolution



Question 6

Answer saved

Marked out of 2.00

🚩 Flag question

Emphysema

- a. A deficiency of α 1 antitrypsin is protective
- b. The protease-antiprotease mechanism is the most plausible explanation for the disease
- c. Smokers have an increased number of macrophages in bronchi
- d. Centriacinar destruction leads to obstructive overinflation
- e. Elastase activity is unaffected by oxygen free radicals

CLEAR MY CHOICE

Question 8

Time left 0:02:37

Answer saved

Marked out of 2.00

 Flag question

Endometriosis

- a. Produces lesions known as chocolate cysts
- b. Is associated with viral infection
- c. Is a malignant polyclonal tumor
- d. Is the Most common malignant tumor in females
- e. Is more frequent in Africa than in Europe

Question 9

Answer saved

Marked out of 2.00

 Flag question

Fibroids

- a. Are malignant tumors
- b. Are common in women younger than 35 years
- c. Are characterized by BRCA genes mutations
- d. Are rare in women of European ancestry
- e. May cause infertility

Question 10

Answer saved

Marked out of 2.00

 Flag question

Which type of bone fractures causes bone to splinter into small fragments?

- a. Displaced fracture
- b. Comminuted fracture
- c. Stress fracture
- d. All of the above

CLEAR MY CHOICE

Question 11

Answer saved

Marked out of 2.00

🚩 Flag question

Which of the prostate conditions causes constipation at an early stage due to its peripheral growth?

- a. Prostatic adenocarcinoma
- b. Prostatic Hypoplasia
- c. Prostatic Hyperplasia
- d. Prostatitis

CLEAR MY CHOICE

Question 12

Answer saved

Marked out of 2.00

🚩 Flag question

Name the bone lesion that is characterized by reduction in bone mass

- a. Osteosarcoma
- b. None of the above
- c. Rickets
- d. Osteoporosis

CLEAR MY CHOICE

Question 13

Answer saved

Marked out of 2.00

 Flag question

All are types of emphysema EXCEPT

- a. Paraseptal
- b. Panacinar
- c. Centriacinar
- d. Irregular
- e. Intraseptal

CLEAR MY CHOICE

Question 14

Answer saved

Marked out of 2.00

🚩 Flag question

Which of the following is not a type of extrinsic asthma

- a. Occupational
- b. Pollen induced
- c. Allergic bronchopulmonary dysplasia
- d. Dust mite induced
- e. Aspirin induced

CLEAR MY CHOICE

Question 15

Answer saved

Marked out of 2.00

🚩 Flag question

Which of the following conditions are associated with the Human papillomavirus (HPV) infection

- a. Vaginitis
- b. Paget`s disease
- c. Endometriosis
- d. Condyloma
- e. Endometritis

CLEAR MY CHOICE

Lichen sclerosis

- a. Are neoplastic in origin
- b. Are common in women older than 50 years
- c. Are common in sexually active women
- d. Are associated with cytomegalovirus Virus infection
- e. Are autoimmune in origin

Viral Hepatitis E

- a. Is caused by ssRNA Calicivirus
- b. Produces carrier state
- c. Is associated with liver cancer
- d. Is endemic in Eastern Asia
- e. Is associated with poor hygiene

Sarcoma botryoides

- a. Is also known as Embryonal Rhabdomyosarcoma
- b. Is usually encountered in infants and children younger than the age of 5 years
- c. Is associated with alcoholism
- d. Is a rare form of secondary vaginal cancer
- e. Produces soft polypoid masses

Which of the following may cause cholestasis

- a. Biliary obstruction
- b. Biliary atresia
- c. Pancreatitis
- d. Dubin-Johnson syndrome
- e. Hemolytic anaemia

Viral Hepatitis B

- a. Is associated with liver cancer
- b. Can be transmitted by oral-Faecal-oral route
- c. Produces a carrier state
- d. Is common in Eastern Asian countries
- e. Is caused by dsRNA Hepadnavirus

Question 21

Time left 0:01:17

Answer saved

Marked out of 2.00

🚩 Flag question

The following cause compressive atelectasis
EXCEPT

- a. Pneumothorax
- b. Congestive heart failure
- c. Peritonitis
- d. Pleural effusions
- e. Asthma

CLEAR MY CHOICE

Question 22

Answer saved

Marked out of 2.00

 Flag question

Name the testicular tumor that causes feminization in a male

- a. Seminoma
- b. Sertoli cell tumor
- c. Yolk sac tumor
- d. Teratoma

CLEAR MY CHOICE

Name the muscle condition that is characterized by fibrofatty tissue

- a. Nodular Fasciitis
- b. Duchenne Muscular Dystrophy
- c. Myotonic Dystrophy
- d. Myasthenia Gravis

CLEAR MY CHOICE

Name the testicular tumor that has a firm to hard consistency due to abundance of its stroma

- a. Seminoma
- b. Yolk sac tumor
- c. Teratoma
- d. Sertoli cell tumor

CLEAR MY CHOICE

Ascites

- a. Produces an exudate fluid
- b. Produces a transudate fluid
- c. Is characterised by increased urinary output
- d. Is a complication of portal hypertension
- e. Frequently accompanies cirrhosis

Which of the following is **not** sequela of cryptorchidism?

- a. Dysuria
- b. Spleno-gonadal fusion
- c. Torsion
- d. Seminoma

CLEAR MY CHOICE

Question 27

Answer saved

Marked out of 2.00

🚩 Flag question

Primary pulmonary TB

- a. Begins as several granulomatous lesions
- b. Spreads by draining to the supraclavicular nodes
- c. Occurs in the apical region of the lung
- d. Is usually asymptomatic
- e. Commonly progresses to a tuberculosis pneumonia

CLEAR MY CHOICE

Which of the following is a germ cell tumor?

- a. Teratoma
- b. Seminoma
- c. Sertoli cell tumor
- d. All of the above

CLEAR MY CHOICE

Question 29

Answer saved

Marked out of 2.00

 Flag question

Which of the following may cause jaundice

- a. Biliary obstruction
- b. Gilbert syndrome
- c. Pancreatitis
- d. Hepatorenal syndrome
- e. Hemolytic anaemia

Question 30

Answer saved

Marked out of 2.00

🚩 Flag question

Which of the following is the most common site for testicular adenocarcinoma metastasis?

- a. Adrenal glands
- b. Liver
- c. Vertebrae bone
- d. Lung

CLEAR MY CHOICE